

Safety Data Sheet

acc. to OSHA HCS

1218

Printing date 01/11/2016

Reviewed on 01/11/2016

1 Identification

- **Product identifier**
- **Trade name:** 131 White
- **Application of the substance / the mixture** Stamp pad ink
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Noris-Color GmbH
Ziegelhüttener Str. 1
D-95326 KULMBACH
GERMANY
Phone: +499221/92000
Fax: +499221/920090
info@noris-color.de
- **Information department:** Laboratory/Product safety
- **Emergency telephone number:** See Manufacturer/Supplier

2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS02 Flame

Flam. Liq. 3 H226 Flammable liquid and vapor.



GHS07

STOT SE 3 H336 May cause drowsiness or dizziness.

- **Label elements**
- **GHS label elements**
The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS02



GHS07

- **Signal word** Warning
- **Hazard-determining components of labeling:**
1-ethoxypropan-2-ol
1-methoxy-2-propanol
- **Hazard statements**
Flammable liquid and vapor.
May cause drowsiness or dizziness.
- **Precautionary statements**
Keep away from heat/sparks/open flames/hot surfaces. No smoking.
Use explosion-proof electrical/ventilating/lighting/equipment.
Avoid breathing dust/fume/gas/mist/vapors/spray
Wear protective gloves / eye protection / face protection.
Ground/bond container and receiving equipment.
Use only non-sparking tools.
Take precautionary measures against static discharge.
Use only outdoors or in a well-ventilated area.
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
Call a POISON CENTER/doctor if you feel unwell.

(Contd. on page 2)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/11/2016

Reviewed on 01/11/2016

Trade name: 131 White

(Contd. of page 1)

In case of fire: Use for extinction: CO₂, powder or water spray.

Store locked up.

Store in a well-ventilated place. Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

• **Classification system:**

• **NFPA ratings (scale 0 - 4)**



Health = 0

Fire = 3

Reactivity = 0

• **Other hazards**

• **Results of PBT and vPvB assessment**

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

3 Composition/information on ingredients

• **Chemical characterization:** Mixtures

• **Description:** Mixture of the substances listed below with nonhazardous additions.

• **Dangerous components:**

1569-02-4	1-ethoxypropan-2-ol	25-50%
	pigmentiertes Kunstharz in organischen Lösemitteln	25-50%
107-98-2	1-methoxy-2-propanol	10-25%
107-41-5	2-methylpentane-2,4-diol	2,5-10%

4 First-aid measures

• **Description of first aid measures**

• **After inhalation:** Supply fresh air; consult doctor in case of complaints.

• **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

• **After eye contact:**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• **After swallowing:**

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

• **Information for doctor:**

• **Most important symptoms and effects, both acute and delayed** No further relevant information available.

• **Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

5 Fire-fighting measures

• **Extinguishing media**

• **Suitable extinguishing agents:** CO₂, sand, extinguishing powder. Do not use water.

• **For safety reasons unsuitable extinguishing agents:** Water with full jet

• **Special hazards arising from the substance or mixture** No further relevant information available.

• **Advice for firefighters**

• **Protective equipment:** No special measures required.

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/11/2016

Reviewed on 01/11/2016

Trade name: 131 White

(Contd. of page 2)

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions: Do not allow to enter sewers/ surface or ground water.**
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Ensure adequate ventilation.
Do not flush with water or aqueous cleansing agents
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Handling:**
- **Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
- **Information about protection against explosions and fires:**
Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

Components with limit values that require monitoring at the workplace:

107-98-2 1-methoxy-2-propanol

REL	Short-term value: 540 mg/m ³ , 150 ppm Long-term value: 360 mg/m ³ , 100 ppm
TLV	Short-term value: 369 mg/m ³ , 100 ppm Long-term value: 184 mg/m ³ , 50 ppm

107-41-5 2-methylpentane-2,4-diol

REL	Ceiling limit value: 125 mg/m ³ , 25 ppm
TLV	Ceiling limit value: 121 mg/m ³ , 25 ppm

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
Wash hands before breaks and at the end of work.
Do not inhale gases / fumes / aerosols.
- **Breathing equipment:** Not necessary if room is well-ventilated.

(Contd. on page 4)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/11/2016

Reviewed on 01/11/2016

Trade name: 131 White

(Contd. of page 3)

Protection of hands:



Protective gloves

Not necessary when handling small amounts. While handling larger quantities the use of protective gloves is recommended.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Tightly sealed goggles

Goggles recommended during refilling.

9 Physical and chemical properties

Information on basic physical and chemical properties

General Information

Appearance:

Form:	Fluid
Color:	According to product specification
Odor:	Characteristic
Odor threshold:	Not determined.

pH-value:	Not determined.
-----------	-----------------

Change in condition

Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	120 °C (248 °F)

Flash point:	35 °C (95 °F)
--------------	---------------

Flammability (solid, gaseous):	Not applicable.
--------------------------------	-----------------

Ignition temperature:	255 °C (491 °F)
-----------------------	-----------------

Decomposition temperature:	Not determined.
----------------------------	-----------------

Auto igniting:	Product is not selfigniting.
----------------	------------------------------

Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
----------------------	--

Explosion limits:

Lower:	1,2 Vol %
Upper:	20,0 Vol %

Vapor pressure at 20 °C (68 °F):	12 hPa (9 mm Hg)
----------------------------------	------------------

Density at 20 °C (68 °F):	1,2552 g/cm ³ (10.475 lbs/gal)
---------------------------	---

Relative density	Not determined.
------------------	-----------------

(Contd. on page 5)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/11/2016

Reviewed on 01/11/2016

Trade name: 131 White

(Contd. of page 4)

· Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with Water:	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	50,9 %
VOC content:	50,9 %
	639.3 g/l / 5.33 lb/gal
· Solids content:	49,1 %
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
- **Carcinogenic categories**

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.

(Contd. on page 6)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/11/2016

Reviewed on 01/11/2016

Trade name: 131 White



(Contd. of page 5)

- **Additional ecological information:**
- **General notes:**
Water hazard class 1 (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Waste disposal key:** Recommendation: 080111 (waste containing organic solvents)
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

· UN-Number	
· DOT, ADR, IMDG, IATA	UN1263
· UN proper shipping name	
· DOT	Paint
· ADR	1263 Paint
· IMDG, IATA	PAINT
· Transport hazard class(es)	
· DOT	
	
· Class	3 Flammable liquids
· Label	3
· ADR, IMDG, IATA	
	
· Class	3 Flammable liquids
· Label	3
· Packing group	
· DOT, ADR, IMDG, IATA	III
· Environmental hazards:	
· Marine pollutant:	No
· Special precautions for user	Warning: Flammable liquids
· Danger code (Kemler):	30
· EMS Number:	F-E,S-E

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/11/2016

Reviewed on 01/11/2016

Trade name: 131 White

(Contd. of page 6)

- | | |
|--|-----------------------|
| · Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code | Not applicable. |
| · UN "Model Regulation": | UN 1263 PAINT, 3, III |

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):
--

107-98-2	1-methoxy-2-propanol
----------	----------------------

	Polyvinylbutyral, Vinylalkohol, Vinylacetatcopolymer
--	--

107-41-5	2-methylpentane-2,4-diol
----------	--------------------------

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:
--

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)
--

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)
--

None of the ingredients is listed.

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).
--

· Hazard pictograms



GHS02 GHS07

· Signal word Warning

· Hazard-determining components of labeling:
--

1-ethoxypropan-2-ol

1-methoxy-2-propanol

· Hazard statements

Flammable liquid and vapor.

May cause drowsiness or dizziness.

(Contd. on page 8)

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/11/2016

Reviewed on 01/11/2016

Trade name: 131 White

(Contd. of page 7)

Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. No smoking.
 Use explosion-proof electrical/ventilating/lighting/equipment.
 Avoid breathing dust/fume/gas/mist/vapors/spray
 Wear protective gloves / eye protection / face protection.
 Ground/bond container and receiving equipment.
 Use only non-sparking tools.
 Take precautionary measures against static discharge.
 Use only outdoors or in a well-ventilated area.
 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 Call a POISON CENTER/doctor if you feel unwell.
 In case of fire: Use for extinction: CO₂, powder or water spray.
 Store locked up.
 Store in a well-ventilated place. Keep container tightly closed.
 Store in a well-ventilated place. Keep cool.
 Dispose of contents/container in accordance with local/regional/national/international regulations.

• **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• **Department issuing SDS:** Laboratory/Product safety

• **Contact:** Hr. Wendland

• **Date of preparation / last revision** 01/11/2016 / -

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flam. Liq. 3: Flammable liquids, Hazard Category 3

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

US

NORIS-COLOR GmbH · Ziegelhüttener Str. 1 · D-95326 Kulmbach

Indiana Stamp Company
1319 Production Road
US – Fort Wayne, IN 46808

Sales / Production I
Ziegelhüttener Str. 1 · D-95326 Kulmbach

Lab / Production II
E.-C.-Baumann-Str. 34 · D-95326 Kulmbach

Tel. +49 (0) 92 21/92 00-0 · Fax +49 (0) 92 21/92 00-90

E-mail: info@noris-color.de

Internet: www.noris-color.de

17.07.2013

CONFIRMATION

We herewith confirm that our ink #131 white complies to the following standards and specifications:

- REACH
- SVHC (Candidate List 06/2013)
- RoHS
- TSCA (Toxic Substances Control Act 1976)
- EN71/3
- Halogen free according to IEC 61249-2-21
- No chromium(VI) content
- GADSL (Global Automotive Declarable Substance List)
- California Proposition 65
- Washington State List of Chemicals of High Concern
- CEA list (Consumer Electronics Association)
- ASTM4236
- JGPSSI- Substance List
- 2006/122/EC Standard (PFOS free)
- DFARS Clause 252.225-7014 (Alt 1 Clause)
- This Ink is suitable to mark food packaging according to USDA, FDA-Code of Federal Regulations 21(Citations for Color Additives, Food Ingredients and Packaging) if the used packaging material fulfills the criteria of a functional barrier according to Section 175.105(a)(2).

Best regards
NORIS-COLOR GmbH



Oliver Zeitler
Managing Director

NORIS-COLOR GmbH
Ziegelhüttener Straße 1
D-95326 KULMBACH
☎ +49 (0) 92 21/92 00-0 • 📠 -90
info@noris-color.de