Printing date 08/21/2013

Reviewed on 08/21/2013

1 Identification

- · Product identifier
- · Trade name: #191 Blue
- · Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the preparation Stamp pad ink
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Noris-Color GmbH

Ziegelhuettener Str.1

Germany-95326 Kulmbach

Phone: +49(0) 9221 - 92 00 0

Fax: +49(0) 9221 - 92 00 90

E-mail: info@noris-color.de

- · Information department: Laboratory/product safety
- · Emergency telephone number: see "manufacturer/supplier"

2 Hazard(s) identification

- · Classification of the substance or mixture
- · Classification according to Directive 67/548/EEC or Directive 1999/45/EC
- · Hazard description: Xi Irritant
- · Information concerning particular hazards for human and environment:

The product has to be labeled due to the calculation procedure of international guidelines.

R 10 Flammable.

R 36 Irritating to eyes.

R 52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment

· Classification system:

The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.

- · Label elements
- · Labelling according to EU guidelines:

The product has been classified and marked in accordance with directives on hazardous materials.

· Code letter and hazard designation of product:



Xi Irritant

- · Risk phrases:
- 10 Flammable.
- 36 Irritating to eyes.

52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment

- · Safety phrases:
- 13 Keep away from food, drink and animal feedingstuffs.
- Avoid contact with eyes.
- 29 Do not empty into drains.
- 36 Wear suitable protective clothing.
- In case of fire, use sand, carbon dioxide or powdered extinguishing agent. Never use water.
- This material and its container must be disposed of as hazardous waste.

(Contd. on page 2)

Printing date 08/21/2013

Reviewed on 08/21/2013

Trade name: #191 Blue

(Contd. of page 1)

- · Classification system:
- · NFPA ratings (scale 0 4)

Health = 1

Fire = 3

Reactivity = 0

· HMIS-ratings (scale 0 - 4)

Health = 1

Fire= 3

Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Personal Protection letter: B Safety Glasses & Gloves

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
Dipropylenglykolmonomethylether, Isomerengem.	50-100%	
1,2-Propylenglycol-1-monomethylether	10-25%	
Butyloxidhydrat	2.5-10%	
C.I. Basic Blue 7 (CAS 2390-60-5)	< 2.5%	
parfum (only for industrial use)	< 2.5%	

[·] Additional information: For the wording of the listed risk phrases refer to section 16.

4 First-aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Call a doctor immediately.

- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents:

Water

Water with full jet

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

Printing date 08/21/2013

Reviewed on 08/21/2013

Trade name: #191 Blue

(Contd. of page 2)

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Do not flush with water or aqueous cleansing agents

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Precautions for safe handling Open and handle receptacle with care.
- · Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

Com	Components with limit values that require monitoring at the workplace:				
Dipr	ropylenglykolmonomethylether, Isomerengem.				
PEL	L Long-term value: 600 mg/m³, 100 ppm Skin				
REL	L Short-term value: 900 mg/m³, 150 ppm Long-term value: 600 mg/m³, 100 ppm Skin				
TLV	Short-term value: 909 mg/m³, 150 ppm Long-term value: 606 mg/m³, 100 ppm Skin				
1,2-F	Propylenglycol-1-monomethylether	**************************************			
REL	Short-term value: 540 mg/m³, 150 ppm Long-term value: 360 mg/m³, 100 ppm				
	Short-term value: 369 mg/m³, 100 ppm Long-term value: 184 mg/m³, 50 ppm				

Butyloxidhydrat

PEL	Long-term value: 300 mg/m³, 100 ppm
REL	Short-term value: C 150 mg/m³, C 50 ppm
	Skin

(Contd. on page 4)

Printing date 08/21/2013

Reviewed on 08/21/2013

Trade name: #191 Blue

(Contd. of page 3)

TLV Long-term value: 61 mg/m³, 20 ppm

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

- · Breathing equipment: Not necessary if room is well-ventilated.
- · Protection of hands:

Protective Gloves recommended during refilling/handling larger quantities.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Not suitable are gloves made of the following materials: Natural rubber, NR
- · Eye protection:

Tightly sealed goggles recommended during refiling/handling larger quantities.

Tightly sealed goggles

· General Information	d chemical properties
· Appearance:	
Form:	Fluid
Color:	According to product specification
· Odor:	Characteristic
· Odour threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	120 °C (248 °F)
· Flash point:	35.°C (95 °F)
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	270 °C (518 °F)
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vap mixtures are possible.
· Explosion limits:	1.1 Vol %

(Contd. on page 5)

Printing date 08/21/2013

Reviewed on 08/21/2013

Trade name: #191 Blue

		(Contd. of page
Upper;	14.0 Vol %	
· Vapor pressure at 20 °C (68 °F):	12 hPa (9 mm Hg)	
· Density:	Not determined.	
· Relative density	Not determined.	
· Vapour density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/wate	e r): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	84.4 %	
Water:	0.0 %	
VOC content:	84.4 %	
Solids content:	15.6 %	
· Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

USA ·

Printing date 08/21/2013

Reviewed on 08/21/2013

Trade name: #191 Blue

(Contd. of page 5)

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Ecotoxical effects:
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Harmful to aquatic organisms

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Waste disposal key: recommendation: 080111 (waste containing organic solvents)
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information

- · UN-Number
- · DOT, ADR, IMDG, IATA

UN1263

- · UN proper shipping name
- $\cdot DOT$

Paint

· ADR · IMDG, IATA

- 1263 Paint PAINT
- · Transport hazard class(es)
- $\cdot DOT$



· Class

3 Flammable liquids.

·Label

. . .

· ADR, IMDG, IATA



· Class

3 Flammable liquids

(Contd. on page 7)

Printing date 08/21/2013

Trade name: #191 Blue

Reviewed on 08/21/2013

		(Contd. of pag
·Label	3	
· Packing group · DOT, ADR, IMDG, IATA	III	
· Environmental hazards: · Marine pollutant:	No	
· Special precautions for user	Warning: Flammable liquids	
· Danger code (Kemler):	30	
· EMS Number:	F- E , S - E	

Not applicable.

15 Regulatory information

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code

· Chemical safety assessment: A Chemical Safety Assessment has been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Contact: Noris-Color GmbH; laboratory/product safety; info@noris-color.de

USA