

Safety Data Sheet

acc. to OSHA HCS

1203

Printing date 07/16/2013

Reviewed on 07/16/2013

1 Identification

- **Product identifier**
- **Trade Name:** #196 RM, #199 RM, #433 RM, #130 RM, #131 RM
- **Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the preparation solvent and cleaning agent for stamp ink**
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Noris-Color GmbH
Ziegelhuettener Str.1
Germany-95326 Kulmbach
Phone: +49(0) 9221 - 92 00 0
Fax : +49(0) 9221 - 92 00 90
E-mail: info@noris-color.de
- **Information department:** Laboratory/product safety
- **Emergency telephone number:** see "manufacturer/supplier"

2 Hazard(s) identification

- **Classification of the substance or mixture**
- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**
- **Hazard description:** F Highly flammable
- **Information concerning particular hazards for human and environment:**
The product has to be labeled due to the calculation procedure of international guidelines.
Has a narcotizing effect.
R 11 Highly flammable.
R 67 Vapours may cause drowsiness and dizziness
- **Classification system:**
The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.

Label elements

- **Labelling according to EU guidelines:**
The product has been classified and marked in accordance with directives on hazardous materials.
- **Code letter and hazard designation of product:**



F Highly flammable

- **Risk phrases:**
11 Highly flammable.
67 Vapours may cause drowsiness and dizziness
- **Safety phrases:**
2 Keep out of the reach of children.
7/9 Keep container tightly closed and in a well-ventilated place.
18 Handle and open container with care.
20/21 When using do not eat, drink or smoke.
24/25 Avoid contact with skin and eyes.
29/56 Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point
- **Classification system:**
- **NFPA ratings (scale 0 - 4)**
Health = 0
Fire = 3
Reactivity = 0

(Contd. on page 2)

USA

Safety Data Sheet

acc. to OSHA HCS

Printing date 07/16/2013

Reviewed on 07/16/2013

Trade name: #433 RM

(Contd. of page 1)

- **HMIS-ratings (scale 0 - 4)**
- Health = 0
- Fire = 3
- Reactivity = 0
- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Personal Protection letter:** B Safety Glasses & Gloves

3 Composition/information on ingredients

- **Chemical characterization:** Mixtures
- **Description:** Mixture of the substances listed below with nonhazardous additions.

- **Dangerous components:**

1,2-Propylenglycol-1-monomethylether	25-50%
Ethyloxidhydrat	25-50%

- **Additional information:** For the wording of the listed risk phrases refer to section 16.

4 First-aid measures

- **Description of first aid measures**
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:**
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:**
Rinse out mouth and then drink plenty of water.
If symptoms persist consult doctor.
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:**
Do not allow product to reach sewage system or any water course.
Prevent seepage into sewage system, workpits and cellars.
Inform respective authorities in case of seepage into water course or sewage system.
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

(Contd. on page 3)

— USA —

Safety Data Sheet

acc. to OSHA HCS

Printing date 07/16/2013

Reviewed on 07/16/2013

Trade name: #433 RM

(Contd. of page 2)

Ensure adequate ventilation.

· **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· **Precautions for safe handling** Open and handle receptacle with care.

· **Information about protection against explosions and fires:**

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

· **Conditions for safe storage, including any incompatibilities**

· **Storage:**

· **Requirements to be met by storerooms and receptacles:** Store in a cool location.

· **Information about storage in one common storage facility:** Not required.

· **Further information about storage conditions:**

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

· **Additional information about design of technical systems:** No further data; see item 7.

· **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

1,2-Propylenglycol-1-monomethylether

REL Short-term value: 540 mg/m³, 150 ppm
Long-term value: 360 mg/m³, 100 ppm

TLV Short-term value: 369 mg/m³, 100 ppm
Long-term value: 184 mg/m³, 50 ppm

Ethyloxidhydrat

PEL Long-term value: 1900 mg/m³, 1000 ppm

REL Long-term value: 1900 mg/m³, 1000 ppm

TLV Short-term value: 1880 mg/m³, 1000 ppm

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:** Wash hands before breaks and at the end of work.

· **Breathing equipment:** Not required.

· **Protection of hands:**

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 4)

USA

Safety Data Sheet

acc. to OSHA HCS

Printing date 07/16/2013

Reviewed on 07/16/2013

Trade name: #433 RM

(Contd. of page 3)

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Not suitable are gloves made of the following materials:** Natural rubber, NR

- **Eye protection:**

Tightly sealed goggles recommended during refilling/handling larger quantities.

Tightly sealed goggles

9 Physical and chemical properties

- **Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

Form:

Fluid

Color:

According to product specification

- **Odor:**

Characteristic

- **Odour threshold:**

Not determined.

- **pH-value:**

Not determined.

- **Change in condition**

Melting point/Melting range:

Undetermined.

Boiling point/Boiling range:

78 °C (172 °F)

- **Flash point:**

13 °C (55 °F)

- **Flammability (solid, gaseous):**

Not applicable.

- **Ignition temperature:**

270 °C (518 °F)

- **Decomposition temperature:**

Not determined.

- **Auto igniting:**

Product is not selfigniting.

- **Danger of explosion:**

Product is not explosive. However, formation of explosive air/vapor mixtures are possible.

- **Explosion limits:**

Lower:

2.3 Vol %

Upper:

15.0 Vol %

- **Vapor pressure at 20 °C (68 °F):**

59 hPa (44 mm Hg)

- **Density at 20 °C (68 °F):**

0.876 g/cm³ (7.31 lbs/gal)

- **Relative density**

Not determined.

- **Vapour density**

Not determined.

- **Evaporation rate**

Not determined.

- **Solubility in / Miscibility with**

Water:

Fully miscible.

- **Partition coefficient (n-octanol/water):** Not determined.

- **Viscosity:**

Dynamic:

Not determined.

Kinematic:

Not determined.

- **Solvent content:**

Organic solvents:

100.0 %

Water:

0.0 %

VOC content:

100.0 %

- **Other information**

No further relevant information available.

— USA —

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Printing date 07/16/2013

Reviewed on 07/16/2013

Trade name: #433 RM

(Contd. of page 4)

10 Stability and reactivity

- **Reactivity**
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
- **Carcinogenic categories**

· IARC (International Agency for Research on Cancer)

Ethyloxidhydrat	1
-----------------	---

· NTP (National Toxicology Program)
--

None of the ingredients is listed.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
- Water hazard class 1 (Self-assessment): slightly hazardous for water
- Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
- Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Waste disposal key: recommendation:** 080111 (waste containing organic solvents)
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

(Contd. on page 6)

USA

Safety Data Sheet

acc. to OSHA HCS

Printing date 07/16/2013

Reviewed on 07/16/2013

Trade name: #433 RM

(Contd. of page 5)

· Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

· UN-Number	UN1993
· DOT, ADR, IMDG, IATA	
· UN proper shipping name	Flammable liquids, n.o.s. (Ethanol, 1-methoxypropan-2-ol)
· DOT	1993 Flammable liquids, n.o.s. (Ethanol (Ethyl alcohol), 1-Methoxy-2-propanol)
· ADR	FLAMMABLE LIQUID, N.O.S. (ETHANOL (ETHYL ALCOHOL), 1-methoxypropan-2-ol)
· IMDG	FLAMMABLE LIQUID, N.O.S. (ETHANOL, 1-methoxypropan-2-ol)
· IATA	
· Transport hazard class(es)	
· DOT	
	
· Class	3 Flammable liquids.
· Label	3
· ADR, IMDG, IATA	
	
· Class	3 Flammable liquids
· Label	3
· Packing group	
· DOT, ADR, IMDG, IATA	II
· Environmental hazards:	
· Marine pollutant:	No
· Special precautions for user	Warning: Flammable liquids
· Danger code (Kemler):	33
· EMS Number:	F-E, S-E
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.

15 Regulatory information

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Contact: Noris-Color GmbH; laboratory/product safety; info@noris-color.de

— USA —