

Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 05/28/2013

Reviewed on 05/28/2013

1181

1 Identification of the substance/mixture and of the company/undertaking

- **Product identifier**
- **Trade name:** 196 Green
- **Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the preparation stamp pad ink**
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Noris-Color GmbH
Ziegelhuettenener Str.1
Germany-95326 Kulmbach
Phone: +49(0) 9221 - 92 00 0
Fax : +49(0) 9221 - 92 00 90
E-mail: info@noris-color.de
- **Information department:** Laboratory/product safety
- **Emergency telephone number:** see "manufacturer/supplier"

2 Hazards identification

- **Classification of the substance or mixture**
- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**
- **Hazard description:** F Highly flammable
- **Information concerning particular hazards for human and environment:**
The product has to be labelled due to the calculation procedure of international guidelines.
R 11 Highly flammable.
R 52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment
- **Classification system:**
The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.
- **Label elements**
- **Labelling according to EU guidelines:**
The product has been classified and marked in accordance with directives on hazardous materials.
- **Code letter and hazard designation of product:**



F Highly flammable

- **Risk phrases:**
11 Highly flammable.
52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment
- **Safety phrases:**
7 Keep container tightly closed.
16 Keep away from sources of ignition - No smoking.
29 Do not empty into drains.
33 Take precautionary measures against static discharges.
43 In case of fire, use sand, carbon dioxide or powdered extinguishing agent. Never use water.
60 This material and its container must be disposed of as hazardous waste.

(Contd. on page 2)

USA

Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 05/28/2013

Reviewed on 05/28/2013

Trade name: 196 Green

(Contd. of page 1)

- **Classification system:**
- **NFPA ratings (scale 0 - 4)**
Health = 0
Fire = 3
Reactivity = 0
- **HMIS-ratings (scale 0 - 4)**
Health = 0
Fire = 3
Reactivity = 0
- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Personal Protection letter:** B Safety Glasses & Gloves

3 Composition/information on ingredients

- **Chemical characterization:** Mixtures
- **Description:** Mixture of the substances listed below with nonhazardous additions.

- **Dangerous components:**

	Ethyloxidhydrat	50-100%
1569-02-4	1-ethoxypropan-2-ol	10-25%
	1,2-Propylenglycol-1-monomethylether	2.5-10%
	C.I. Basic Yellow 37Diphenylmethanfarbstoff	< 2.5%
	C.I. Basic Blue 7 (CAS 2390-60-5)	< 2.5%

- **Additional information:** For the wording of the listed risk phrases refer to section 16.

4 First aid measures

- **Description of first aid measures**
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:**
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:**
Rinse out mouth and then drink plenty of water.
If symptoms persist consult doctor.
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Firefighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** CO₂, sand, extinguishing powder. Do not use water.
- **For safety reasons unsuitable extinguishing agents:**
Water
Water with full jet
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

— USA —

(Contd. on page 3)

Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 05/28/2013

Reviewed on 05/28/2013

Trade name: 196 Green

(Contd. of page 2)

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:**
Do not allow product to reach sewage system or any water course.
Prevent seepage into sewage system, workpits and cellars.
Inform respective authorities in case of seepage into water course or sewage system.
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Ensure adequate ventilation.
Do not flush with water or aqueous cleansing agents
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Precautions for safe handling** Open and handle receptacle with care.
- **Information about protection against explosions and fires:**
Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store in a cool location.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**
Keep receptacle tightly sealed.
Store in cool, dry conditions in well sealed receptacles.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

Components with limit values that require monitoring at the workplace:

Ethyloxidhydrat	
PEL	1900 mg/m ³ , 1000 ppm
REL	1900 mg/m ³ , 1000 ppm
TLV	Short-term value: 1880 mg/m ³ , 1000 ppm
1,2-Propylenglycol-1-monomethylether	
REL	Short-term value: 540 mg/m ³ , 150 ppm Long-term value: 360 mg/m ³ , 100 ppm
TLV	Short-term value: (553) NIC-369 mg/m ³ , (150) NIC-100 ppm Long-term value: (369) NIC-184 mg/m ³ , (100) NIC-50 ppm NIC-A4

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:** Wash hands before breaks and at the end of work.
- **Breathing equipment:** Not required.

(Contd. on page 4)

USA

Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 05/28/2013

Reviewed on 05/28/2013

Trade name: 196 Green

(Contd. of page 3)

· **Protection of hands:**

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Not suitable are gloves made of the following materials:** Natural rubber, NR

· **Eye protection:**

Tightly sealed goggles recommended during refilling/handling larger quantities.
Tightly sealed goggles

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form:	Fluid
Color:	According to product specification
Odor:	Characteristic
Odour threshold:	Not determined.

· **pH-value:** Not determined.

· **Change in condition**

Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	78 °C (172 °F)

· **Flash point:** 13 °C (55 °F)

· **Flammability (solid, gaseous):** Not applicable.

· **Ignition temperature:** 255 °C (491 °F)

· **Decomposition temperature:** Not determined.

· **Auto igniting:** Product is not selfigniting.

· **Danger of explosion:** Product is not explosive. However, formation of explosive air/vapor mixtures are possible.

· **Explosion limits:**

Lower:	1.3 Vol %
Upper:	15.0 Vol %

· **Vapor pressure at 20 °C (68 °F):** 59 hPa (44 mm Hg)

· **Density:** Not determined.

· **Relative density** Not determined.

· **Vapour density** Not determined.

· **Evaporation rate** Not determined.

· **Solubility in / Miscibility with**

Water: Not miscible or difficult to mix.

· **Partition coefficient (n-octanol/water):** Not determined.

· **Viscosity:**

Dynamic: Not determined.

(Contd. on page 5)

USA

Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 05/28/2013

Reviewed on 05/28/2013

Trade name: 196 Green

(Contd. of page 4)

Kinematic:	Not determined.
Solvent content:	
Organic solvents:	75.1 %
Water:	0.0 %
VOC content:	75.1 %
Solids content:	24.9 %
Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity**
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
- **Carcinogenic categories**

· IARC (International Agency for Research on Cancer)

Ethyloxidhydrat

1

· NTP (National Toxicology Program)

None of the ingredients is listed.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:**
- **Remark:** Harmful to fish
- **Additional ecological information:**
- **General notes:**
- Water hazard class 2 (Self-assessment): hazardous for water
- Do not allow product to reach ground water, water course or sewage system.
- Danger to drinking water if even small quantities leak into the ground.
- Harmful to aquatic organisms
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

(Contd. on page 6)

USA

Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 05/28/2013

Reviewed on 05/28/2013

Trade name: 196 Green



(Contd. of page 5)

· Other adverse effects No further relevant information available.

13 Disposal considerations

- Waste treatment methods
- Recommendation:
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- Waste disposal key: recommendation: 080111 (waste containing organic solvents)
- Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

14 Transport information

- | | |
|---|----------------------------|
| · UN-Number | UN1263 |
| · DOT, ADR, IMDG, IATA | |
| · UN proper shipping name | PAINT |
| · DOT, IMDG, IATA | 1263 PAINT |
| · ADR | |
| · Transport hazard class(es) | |
| · DOT | |
|  | |
| · Class | 3 Flammable liquids. |
| · Label | 3 |
| · ADR, IMDG, IATA | |
|  | |
| · Class | 3 Flammable liquids |
| · Label | 3 |
| · Packing group | |
| · DOT, ADR, IMDG, IATA | II |
| · Environmental hazards: | |
| · Marine pollutant: | No |
| · Special precautions for user | Warning: Flammable liquids |
| · Danger code (Kemler): | 33 |
| · EMS Number: | F-E,S-E |
| · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable. |

15 Regulatory information

- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

- USA -

(Contd. on page 7)

Safety Data Sheet
acc. to ISO/DIS 11014

Printing date 05/28/2013

Reviewed on 05/28/2013

Trade name: 196 Green

(Contd. of page 6)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Contact:** Noris-Color GmbH; laboratory/product safety; info@noris-color.de

USA