1 Identification of the substance/mixture and of the company/undertaking

- · Product identifier
- · Trade name: 199 Blue
- · Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the preparation stamp pad ink
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Noris-Color GmbH

Ziegelhuettener Str.1

Germany-95326 Kulmbach

Phone: +49(0) 9221 - 92 00 0

Figure +49(0) 9221 - 92 00 0 Fax: +49(0) 9221 - 92 00 90

E-mail: info@noris-color.de

- · Information department: Laboratory/product safety
- · Emergency telephone number: see "manufacturer/supplier"

2 Hazards identification

- · Classification of the substance or mixture
- · Classification according to Directive 67/548/EEC or Directive 1999/45/EC
- · Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of international guidelines.

R 10 Flammable.

R 52/53 Harmful to aquatic organisms, may cause long-term adverse

effects in the aquatic environment

· Classification system:

The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.

- · Label elements
- · Labelling according to EU guidelines:

The product has been classified and marked in accordance with directives on hazardous materials.

- · Risk phrases:
- 10 Flammable.
- 52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment
- · Safety phrases:
- 2 Keep out of the reach of children.
- 24 Avoid contact with skin.
- 29/56 Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point
- 43 In case of fire, use sand, carbon dioxide or powdered extinguishing agent. Never use water.
- 46 If swallowed, seek medical advice immediately and show this container or label.
- 60 This material and its container must be disposed of as hazardous waste.
- · Classification system:
- · NFPA ratings (scale 0 4)

Health = 0

Fire = 2

Reactivity = 0

· HMIS-ratings (scale 0 - 4)

Health = 0

Fire = 2

Reactivity = 0

(Contd. on page 2)

Printing date 05/28/2013

Reviewed on 05/28/2013

(Contd. of page 1)

Trade name: 199 Blue

· Other hazards

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Personal Protection letter: B Safety Glasses & Gloves

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
1569-02-4	1-ethoxypropan-2-ol	50-100%
	1,2-Propylenglycol-1-monomethylether	10-25%
107-41-5	2-methylpentane-2,4-diol	10-25%
	C.I. Basic Blue 7 (CAS 2390-60-5)	< 2.5%

· Additional information: For the wording of the listed risk phrases refer to section 16.

4 First aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Firefighting measures

- Extinguishing media
- · Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents:

Water

Water with full jet

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/surface or ground water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Do not flush with water or aqueous cleansing agents

(Contd. on page 3)

Printing date 05/28/2013

Reviewed on 05/28/2013

Trade name: 199 Blue

(Contd. of page 2)

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Precautions for safe handling Open and handle receptacle with care.
- · Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

1,2-Propylenglycol-1-monomethylether

REL | Short-term value: 540 mg/m³, 150 ppm

Long-term value: 360 mg/m³, 100 ppm

TLV Short-term value: (553) NIC-369 mg/m³, (150) NIC-100 ppm

Long-term value: (369) NIC-184 mg/m³, (100) NIC-50 ppm

NIC-A4

107-41-5 2-methylpentane-2,4-diol

REL Short-term value: C 125 mg/m³, C 25 ppm

TLV | Short-term value: C 121 mg/m³, C 25 ppm

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Breathing equipment: Not required.
- · Protection of hands:

Protective Gloves recommended during refilling/handling larger quantities.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Not suitable are gloves made of the following materials: Natural rubber, NR

(Contd. on page 4)

Printing date 05/28/2013

Reviewed on 05/28/2013

Trade name: 199 Blue

(Contd. of page 3)

· Eye protection: Tightly sealed goggles recommended during refiling/handling larger quantities.

Information on basic physical and o	chemical properties
General Information	
· Appearance:	
Form:	Fluid
Color: · Odor:	According to product specification Characteristic
· Odour threshold:	Not determined.
pH-value:	Not determined.
· Change in condition	*
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	120 °C (248 °F)
Flash point:	45 °C (113 °F)
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	255 °C (491 °F)
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vap mixtures are possible.
Explosion limits:	
Lower:	1.0 Vol %
Upper:	12.0 Vol %
Vapor pressure at 20 °C (68 °F):	12 hPa (9 mm Hg)
Density:	Not determined.
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with Water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/wate	
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	86.0 % (up to)
Water:	0.0 %
VOC content:	73.8 %
Solids content:	14.0 %
Other information	No further relevant information available.

10 Stability and reactivity

- · Reactivity
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

(Contd. on page 5)

Printing date 05/28/2013

Reviewed on 05/28/2013

Trade name: 199 Blue

(Contd. of page 4)

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Harmful to aquatic organisms

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Waste disposal key: recommendation: 080111 (waste containing organic solvents)
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

USA

Printing date 05/28/2013

Reviewed on 05/28/2013

Trade name: 199 Blue

(Contd. of page 5)

· UN-Number · DOT, ADR, IMDG, IATA	UN1263
· UN proper shipping name · DOT, IMDG, IATA · ADR	PAINT 1263 PAINT
· Transport hazard class(es)	
· DOT	
NAME TO 2	
Class	3 Flammable liquids.
Label	3
ADR, IMDG, IATA	
Class	3 Flammable liquids
Label	3
Packing group	
DOT, ADR, IMDG, IATA	III
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Flammable liquids
Danger code (Kemler):	30
EMS Number:	F- E , S - E

15 Regulatory information

· Chemical safety assessment: A Chemical Safety Assessment has been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Contact: Noris-Color GmbH; laboratory/product safety; info@noris-color.de

USA